



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/918,541	08/01/2001	Gary Mishkin	MISHKIN=1	3823

1444 7590 07/11/2003

BROWDY AND NEIMARK, P.L.L.C.  
624 NINTH STREET, NW  
SUITE 300  
WASHINGTON, DC 20001-5303

EXAMINER
----------

PERRIN, JOSEPH L

ART UNIT	PAPER NUMBER
----------	--------------

1746

DATE MAILED: 07/11/2003

5

Please find below and/or attached an Office communication concerning this application or proceeding.

# Office Action Summary

Application No.

09/918,541

Applicant(s)

MISHKIN ET AL.

Examiner

Joseph L. Perrin, Ph.D.

Art Unit

1746

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

## Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

## Status

- 1) ☒ Responsive to communication(s) filed on 01 August 2001.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

## Disposition of Claims

- 4) ☒ Claim(s) 1-14 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-14 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

## Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) ☐ The proposed drawing correction filed on \_\_\_\_\_ is: a) ☐ approved b) ☐ disapproved by the Examiner.
- If approved, corrected drawings are required in reply to this Office action.
- 12) ☐ The oath or declaration is objected to by the Examiner.

## Priority under 35 U.S.C. §§ 119 and 120

- 13) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- \* See the attached detailed Office action for a list of the certified copies not received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
- a) ☐ The translation of the foreign language provisional application has been received.
- 15) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

## Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449) Paper No(s) 4.
- 4) ☐ Interview Summary (PTO-413) Paper No(s). \_\_\_\_\_
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other:

## DETAILED ACTION

### ***Claim Rejections - 35 USC § 102***

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

2. Claims 1-5, 7-8, 10-12 & 14 are rejected under 35 U.S.C. 102(b) as being anticipated by US 6,050,278 to Arnal *et al.* (hereinafter "Arnal").

Re claims 1, 10 & 14, Arnal discloses a dialyzer head cleaning apparatus 10 including a housing 14 with opposed ends and delimiting passage 24, a connecting element 50 at one end of the housing, a rotatable and retractable flow directing element 38 with fluid outlets 28 capable of operating as a extending, rotary fluid discharge reaction nozzle (see entire reference of Arnal, for instance, Figures 1A, 2 & 6; col. 8, line 46 *et seq.*; and col. 11, lines 34-44).

Re claims 2, 7-8 & 11-12, Arnal discloses the flow passage 46 in the housing 14, and the needle as being tapered as claimed (for instance, Figures 1A & 4A).

Re claims 3-5, Arnal discloses the needle having a circular wall with outlet openings tangential to the outer wall, and formations (fins) causing rotation of the nozzle (reaction discharge nozzles, well known in the cleaning arts) (see, for instance, Figures 4A-B; col. 11, lines 41-44).

Art Unit: 1746

***Claim Rejections - 35 USC § 103***

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.
2. Ascertaining the differences between the prior art and the claims at issue.
3. Resolving the level of ordinary skill in the pertinent art.
4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

5. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

6. Claims 6, 9 and 13 are rejected under 35 U.S.C. 103(a) as being unpatentable over Arnal as cited above.

Art Unit: 1746

Recitation of Arnal is repeated here from above. Arnal further discloses the needle inlet 16 having an opening (for instance, col. 11, lines 8-10). Although Arnal does not expressly disclose the needle inlet as having more than one opening, Arnal does disclose the outlet having multiple openings (as previously cited). It would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the inlet with more than one opening (as in the outlet) for improved/enhanced fluid flow, since it has been held that a mere reversal of the essential working parts of a device involves only routine skill in the art. *In re Einstein*, 8 USPQ 167.

### **Conclusion**

7. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure:

US 6,192,900 to Arnal *et al.*, which is a divisional application of the previously cited reference of Arnal *et al.*

8. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Joseph L. Perrin, Ph.D. whose telephone number is (703)305-0626. The examiner can normally be reached on M-F 7:30-5:00, except alternate Fridays.

9. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Randy Gulakowski can be reached on (703)308-4333. The fax phone numbers for the organization where this application or proceeding is assigned are


Art Unit: 1746

(703)872-9310 for regular communications and (703)872-9311 for After Final communications.

10. Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703)308-0661.

Joseph L. Perrin, Ph.D.  
Examiner  
Art Unit 1746

jlj  
July 8, 2003

A handwritten signature in black ink, appearing to read "Randy Gulakowski". The signature is fluid and cursive, with the first name "Randy" and last name "Gulakowski" clearly distinguishable.

RANDY GULAKOWSKI  
SUPERVISORY PATENT EXAMINER  
TECHNOLOGY CENTER 1700